



Simulation and experimental validation of advanced neutron moderators

Schönfeldt, Troels; Willendrup, Peter Kjær; Lauritzen, Bent; Nonbøl, Erik; Klinkby, Esben Bryndt

Publication date:
2014

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Schönfeldt, T. (Author), Willendrup, P. K. (Author), Lauritzen, B. (Author), Nonbøl, E. (Author), & Klinkby, E. B. (Author). (2014). Simulation and experimental validation of advanced neutron moderators. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

CRP: Advanced moderators for intense cold neutron beams in materials research;

Simulation and experimental validation of advanced neutron moderators

Troels SCHÖNFELDT¹, Peter Kjær WILLENDROP², Bent LAURITZEN¹,
Erik NONBØL¹, Esben KLINKBY¹

1) DTU Nutech, Box 49, 4000 Roskilde, Denmark

2) DTU Physics, Fysikvej 307-312, 2800 Kgs. Lyngby, Denmark

Outline

- Simulation with McStas & MCNPX
- DTU contribution to CRP
 - Directional high brightness moderators
 - Towards cold moderators using high albedo materials

DTU's contribution to the CRP

A. Description of Research Objectives and anticipated outcomes

Expand MCNPX-McStas interface to properly describe new high-albedo materials anticipated for advanced moderator concepts

B. Scientific Scope

Assess the performance of new materials and geometries proposed for advanced moderators through simulations and experiments. One of these novel materials is nano-diamonds

DTU's contribution to the CRP

C. Year 1

Participate in flat moderator experiments (ESS initiated).

Develop the computational tools, for simulation of high-albedo materials

D. Year 2

Build and test a prototype of an advanced moderator based on high-albedo materials (with ESS) → validation of the simulation codes

E. Year 3

Finalize code, based on lessons from years 1 & 2

DTU's contribution to the CRP

C. Year 1

Participate in flat moderator experiments (ESS initiated).

Develop the computational tools, for simulation of high-albedo materials

D. Year 2


Build and test a prototype of an advanced moderator based on high-albedo materials (with ESS) → validation of the simulation codes

E. Year 3



Finalize code, based on lessons from years 1 & 2

Directional enhancement from geometrical considerations

Thermal neutrons



cold neutrons



Peaks close to cold vessel walls moves closer as the height decrease \Rightarrow increased brightness (but decreased flux)


Note: Made possible from SSW \rightarrow ROOT interface

Directional enhancement from geometrical considerations

Para-hydrogen cross-section

⇒ most thermal neutrons cooled within ~1cm

⇒ emitted “freely”



DTU's contribution to the CRP

C. Year 1

Participate in flat moderator experiments (ESS initiated).

Develop the computational tools, for simulation of high-albedo materials


D. Year 2

Build and test a prototype of an advanced moderator based on high-albedo materials (with ESS) → validation of the simulation codes

E. Year 3

Finalize code, based on lessons from years 1 & 2


Nano diamonds – experimental mock-up




Quasi-elastic scattering

neutron

Nano-diamond reflectivity



Para-hydrogen cross section



Nano-diamonds purchased




Summery

- Directional moderator developed at ESS
- Experimental validation being planned
- MCNPX-McStas coupling well established
 - But yet no attempts made to introduce high-albedo materials
- Nano-diamonds purchased, characterization experiments is being planned

Backup

Elements of Monte-Carlo ray-tracing - McStas

- Instrument simulation using Monte Carlo ray-tracing methods implement coherent scattering effects
- Uses deterministic propagation where this can be done
- Uses Monte Carlo sampling of “complicated” distributions and stochastic processes and multiple outcomes with known probabilities are involved
- I.e. inside scattering matter
- Uses the particle-wave duality of the neutron to switch back and forward between deterministic ray tracing and Monte Carlo approach



- Result: A realistic and efficient transport of neutrons in the thermal and cold range, ie below 0.025eV

Neutron ray/package:

Weight (p): # neutrons (left) in the package

Coordinates (x,y,z)


Velocity (v_x, v_y, v_z)

Spin (s_x, s_y, s_z)

Time (t)

ray coordinate

Instrument: positioning + transformation between sequential component coordinate systems, e.g. neutron source, crystal, detector.



Components: Here the neutron physics happen, neutron weight adjusted according to scattering probabilities etc.

Local, internal coordinate system!

Interfaces to other codes important


- Interface-code coupling McStas and MCNP
X
- Interoperability with Vitess (mcstas2vitess)
- Interoperability with various other codes via files (Tripoli4, GeomView, Crystallographica)

The task:

“Interfacing the MCNP and McStas Monte Carlo codes for improved optimization of the ESS moderator-beam extraction systems”

The solutions:


- Tally




- Ptrac

| | | | |
|------|---|-------------|--------------|
| 3000 | 2 | 10 | 179 |
| 100 | 2 | 0 | |
| | | 0.00000E+00 | 0.28640E+00 |
| | | 0.43531E+00 | -0.10000E+01 |
| | | 0.00000E+00 | 0.00000E+00 |
| | | 0.10000E+00 | 0.10000E+01 |
| | | 0.33356E-02 | |


- SSW



- Supermirror



- Compile




The task:

“Interfacing the MCNP and McStas Monte Carlo codes for improved optimization of the ESS moderator-beam extraction systems”

The solutions:


- Tally




- Ptrac

| | | | |
|------|---|-------------|--------------|
| 3000 | 2 | 10 | 179 |
| 100 | 2 | 0 | |
| | | 0.00000E+00 | 0.28640E+00 |
| | | 0.43531E+00 | -0.10000E+01 |
| | | 0.00000E+00 | 0.00000E+00 |
| | | 0.10000E+00 | 0.10000E+01 |
| | | 0.33356E-02 | |


- SSW



- Supermirror



- Compile



SSW MCNPX-McStas coupling

– example of use for background calculations


- At each scattering, for any McStas component (eg. a guide), the incoming and outgoing neutron state can be temporally stored & analyzed

At each scattering:

Incomming state: $n_{in} = (\mathbf{x}, \mathbf{v}_{in}, t, w_{in})$


Transmitted state: $n_{trans} = (\mathbf{x}, \mathbf{v}_{in}, t, w_{trans})$

Reflected state: $n_{refl} = (\mathbf{x}, \mathbf{v}_{out}, t, w_{in} - w_{itrans})$





Background along guide

- I. Neutrons generated with MCNPX
- II. Handed to McStas through SSW interface
- III. Unreflected neutrons returned to MCNPX for dose-rate calculation




Guide end over-illuminated by energetic neutrons




Example: Background along guide

Straight guide



Curved guide ($r_{\text{curvature}}=1500\text{m}$)




Line-of-sight lost


- Dose-rates, measured 5cm in the steel (converted from flux according to official Swedish radiation protection procedures)

Example: Background along guide

Straight guide



Curved guide ($r_{\text{curvature}} = 1500\text{m}$)



Line-of-sight lost

- Restricting to $\lambda \in \{0.5 \text{ \AA} - 1.0 \text{ \AA}\}$
- Photon dose-rate follows neutron dose-rate ✓